



SL-T1921SRC020-L190-AL DATA SHEET

 SPEC. NO.
 :
 SZ22101401

 DATE
 :
 2022/10/14

 REV.
 :
 A/0

Approved By:

Checked By:

Prepared By:


LIGHT ELECTRONICS CO., LTD.

LIGHT

Features

Pb free product—RoHS compliant Low power consumption, High efficiency Reliable and rugged Long life – solid state reliability Viewing Angle: 110°

Package Dimension







Electrical Optical Characteristics at Ta=25

Parameter	Symbol		Min.	Тур.	Max.	Unit	Test Condition	
Luminous Intensity	Iv	S12	145		185		I _F =20mA (Note 1)	
		S13	185		240	mcd		
		S14	240		310			
Viewing Angle	2 _{1/2}			110		Deg.	(Note 2)	
Peak Emission Wavelength	р			635		nm	I _F =20mA	
Dominant Wavelength	d	R1	619		624	nm	I _F =20mA (Note 3)	
		R2	624		629			
Spectral Line Half-Width				15		nm	I _F =20mA	
Forward Voltage	V _F	V2	1.9		2.1	V	I _F =20mA	
		V3	2.1		2.3	v		
Reverse Current	I _R				10	μA	V _R =5V	

Note:

1. Luminous intensity is measured with a light sensor and filter combination that approximates the CIE eye-response curve. Tolerance of Luminous Intensity: ±15%.

2. $_{1/2}$ is the off-axis angle at which the luminous intensity is half the axial luminous intensity.

3. The dominant wavelength, d is derived from the CIE chromaticity diagram and represents the single wavelength which defines the color of the device. Tolerance of Dominant Wavelength: ± 1.0 nm.

4. Tolerance of Forward Voltage: ± 0.1 V.

Part No. SL-T1921SRC020-L190-AL Page 4 of 8


Part No.	SL-T1921SRC020-L190-AL	Page	7 of 8



RoHS

sersenngnreihmm.

Suggest IR Reflow Condition For Lead Free



- 1. Reflow soldering should not be done more than two times.
- 2. When soldering, do not put stress on the LEDs during heating.

Saldering iron

- 1. When hand soldering, the temperature of the iron must less than 300° C for 3 seconds.
- 2. The hand solder should be done only once.

Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand whether the characteristics of LEDs will or will not be damaged by repairing.

